

XIAOGAN RUIHENG



Catalogue



Part of your business

Contents

Overview	3~7
AL-1 (GSC-250)	8
AL-2 (GSI-250)	9
AL-3 (GSP-250)	10
AL-4 (GSD-250)	11
AL-5 (GSE-250)	12
AL-6 (GSF-250)	13
AL-7 (GSG-250)	14
AL-8 (GSH-250)	15
AL-10 (GSJ-250)	16
AL-11 (GSK-200)	17
AL-12 (GSL-250)	18

ST-5	19
ST-6	20
ST-7	21
ST-A	22
ST-B	23
ST-C	24
BW-3	25
BW-S	26
BLC-5	27
LTM-S	28

Ability to meet any challenge

As TOP three manufacturer of airport trolley and train station trolley in China, Xiaogan Ruisheng Mechanical & Electrical Manufacturing Co. Ltd (Xiaogan Ruisheng Mech Elec Mfg Ltd) is engaged in the research, development, production, sale and service of airport trolley and train station trolley.

Located in Xiaogan City, as military industry of China, enjoying convenient access to major transportation networks.

Our bosses were engineers of military industry group in last, so some of our processes and technologies originated in military products, and we have more than ten years manufacture experience.


Covering an area of 10000 square meters, having over 50 employees and our annual production capacity is 26000 pieces. 81% - 90% of our products are exported worldwide currently and an annual sales figure that exceeds USD4.5 million - USD5.0 million.



General view



Professional production



Excellent design

QUALITY OF XIAOGAN RUIHENG

Our processes and technologies originated in military products.

Quality Brake System



Perfect braking through metallic brake shoe on the natural rubber surface of the castor
Minimal wear as braking only occurs on the sides of the castor with no effect on the tread
Brake adjusts itself to ensure a consistent braking force

Function of Nesting



Nested trolleys to save space including easily pushed and pulled along
Engagement system for transport of more than 40 trolleys by airport scooter & 10~20 trolleys by manual

Excellent Wheels




Nature rubber material
Minimal wear
Non-marking (leaves no residue)
Double-sealed industrial ball bearing
Shock-absorption & antinoise

Advertising Space



7 postions for displaying advertisement
More than 6000 cm² advertisement space for most models
Lease the advertising space to get economic effect
It's good choice for advertising company to attract quality clients

Luggage Protection



TPU/Rubber bumper strip
Anti-slip and anti-noise rubber strips embedded in the platform

Dust-proof Cover & Customized Bracket



Dust-proof cover for swivel wheel
Customized braket for stable & flexible steering of front wheel

Aluminum Alloy Material Airport Trolleys

AL-1 (GSC-250)

Page-8



Material	Aluminum alloy
Size (mm)	980* 670*1040
Automatic brake	Yes
Loading capacity (kg)	250
Wheels	2 fixed & 1 swivel

AL-2 (GSI-250)

Page-9



Material	Aluminum alloy
Size (mm)	1020*670*1030
Automatic brake	Yes
Loading capacity (kg)	250
Wheels	2 fixed & 1 swivel

AL-3 (GSP-250)

Page-10



Material	Aluminum alloy
Size (mm)	980* 670*1040
Automatic brake	Yes
Loading capacity (kg)	250
Wheels	2 fixed & 1 swivel

AL-4 (GSD-250)

Page-11



Material	Aluminium alloy
Size (mm)	980* 670*1040
Automatic brake	Yes
Loading capacity (kg)	250
Wheels	2 fixed & 1 swivel

AL-5 (GSE-250)

Page-12



Material	Aluminum alloy
Size (mm)	1020* 670*1030
Automatic brake	Yes
Loading capacity (kg)	250
Wheels	2 fixed & 1 swivel

AL-6 (GSF-250)

Page-13



Material	Aluminum alloy
Size (mm)	1020* 670*1030
Automatic brake	Yes
Loading capacity (kg)	250
Wheels	2 fixed & 1 swivel

Aluminum Alloy Material Airport Trolleys

AL-7 (GSG-250)

Page-14



Material	Aluminum alloy
Size (mm)	950* 670*1040
Automatic brake	Yes
Loading capacity (kg)	250
Wheels	2 fixed & 1 swivel

AL-8 (GSH-250)

Page-15



Material	Aluminum alloy
Size (mm)	1000*670*1040
Automatic brake	Yes
Loading capacity (kg)	250
Wheels	2 fixed & 1 swivel

AL-10 (GSJ-250)

Page-16



Material	Aluminum alloy
Size (mm)	950* 670*1040
Automatic brake	Yes
Loading capacity (kg)	250
Wheels	2 fixed & 1 swivel

AL-11 (GSK-200)

Page-17



Material	Aluminum alloy
Size (mm)	900* 600*940
Automatic brake	Yes
Loading capacity (kg)	200
Wheels	2 fixed & 1 swivel

AL-12 (GSL-250)

Page-18



Material	Aluminum alloy
Size (mm)	1020* 670*1030
Automatic brake	Yes
Loading capacity (kg)	250
Wheels	2 fixed & 1 swivel

Stainless Steel Material Airport Trolleys

ST-5

Page-19



Material	Stainless steel
Size (mm)	980* 620*1040
Automatic brake	Yes
Loading capacity (kg)	250
Wheels	2 fixed & 1 swivel

ST-6

Page-20



Material	Stainless steel
Size (mm)	1000* 680*975
Automatic brake	No
Loading capacity (kg)	200
Wheels	2 fixed & 1 swivel

ST-7

Page-21



Material	Stainless steel
Size (mm)	980* 620*1030
Automatic brake	No
Loading capacity (kg)	200
Wheels	2 fixed & 2 swivel

ST-A

Page-22



Material	Stainless steel
Size (mm)	1070* 670*1030
Automatic brake	No
Loading capacity (kg)	250
Wheels	2 fixed & 2 swivel

ST- B

Page-23



Material	Stainless steel
Size (mm)	1000* 620*1030
Automatic brake	Yes
Loading capacity (kg)	250
Wheels	2 fixed & 2 swivel

ST- C

Page-24



Material	Stainless steel
Size (mm)	1070* 620*1030
Automatic brake	Yes
Loading capacity (kg)	250
Wheels	2 fixed & 2 swivel

Airport Shopping Trolleys

Porter Trolley

BW-3

Page-25



Material	Stainless steel
Size (mm)	700* 525*1000
Automatic brake	No
Loading capacity (kg)	50
Wheels	4 swivel

BW-S

Page-26



Material	Aluminum alloy
Size (mm)	700* 500*1000
Automatic brake	No
Loading capacity (kg)	50
Wheels	4 swivel

BLC-5

Page-27



Material	Stainless steel
Size (mm)	2000* 800*1600
Foot brake	Yes
Loading capacity (kg)	700
Wheels	4 swivel

Luggage Trolley Dispensing System

LTM-S

Page-28



Material	Stainless steel
Service version	Rental Deposit/return
Easy to operate	Yes
Fully automatic	Yes